

APPLICATION FOR PERMISSION TO CHANGE POINT OF  
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE  
PUBLIC WATERS OF THE STATE OF NEVADA  
HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office SEP 09 1999

Returned to applicant for correction

Corrected application filed

Map filed SEP 09 1999

\*\*\*\*\*

The applicant NIGHTINGALE OVERSEAS CO., LTD., hereby make application for permission to change the POINT OF DIVERSION, PLACE AND MANNER OF USE of water heretofore appropriated under Permit 58716

\*\*\*\*\*

1. The source of water is Underground
2. The amount of water to be changed 0.02075 CFS, (7.5 acre feet annually)
3. The water to be used for INDUSTRIAL AND DOMESTIC PURPOSES
4. The water heretofore permitted for IRRIGATION & DOMESTIC
5. The water is to be diverted at the following point within the NE1/4 SW1/4 of Section 19, T.23S., R.61E., MDM, or at a point whence the C1/4 Corner of said Section 19 bears N. 27 43' 40" E. a distance of 490 ft.
6. The existing permitted point of diversion is located within the SE1/4 NW1/4 of Section 33, T.22S., R.61E., MDM or at a point whence the C1/4 Cor. of said Section 33 bears S. 85 33' 03" E. a distance of 975.26 feet.
7. Proposed place of use Within the NE1/4 NE1/4 SW1/4 and the N1/2 SE1/4 NE1/4 SW1/4 of Section 19, T.23S., R.61E., MDM
8. Existing place of use 1.5 Acres within the SW1/4 SE1/4 NW1/4 of Section 33, T.22S., R.61E., MDM. 1.5 Acres are to be stripped from irrigation.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works a drilled and cased well with pump, motor and meter at the well head, with pipelines to the places of use.
12. Estimated cost of works \$22,000
13. Estimated time required to construct works 1 Year
14. Estimated time required to complete the application of water to beneficial use 3 Years
15. Remarks: The duty from this Permit will be used to serve the needs of the Proposed Silver State Disposal Service Sloan Transfer Station. Proposed construction includes the Station,

Administration Building, Support Buildings, Parking Area and landscaped area.

James T. Anspach, P.E., Agent  
By State W/R Surveyor No. 563  
s/ James T. Anspach  
9708 Sandmist Ave.  
Las Vegas, NV 89134

Compared gkl/cmf hs/cmf

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use, and manner of use of the waters of an underground source as heretofore granted under Permit 58716 is issued subject to the terms and conditions imposed in said Permit 58716 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.02075 cubic feet per second, but not to exceed 7.5 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

February 8, 2001

Proof of completion of work shall be filed before:

March 8, 2001

Water must be placed to beneficial use on or before:

February 8, 2003

Proof of the application of water to beneficial use shall be filed on or before:

March 8, 2003

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office.

this 8th day of, February A.D. 2000

  
State Engineer

Completion of work filed MAR 26 2001

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed N/A

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_



3  
1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100